

# SATATYA NVR1602X P2

## 16 Channel NVR with 2 SATA Ports



- **Compression:** H.265
- **Decoding:** 4K
- **Channel:** 16 Channels
- **Storage:** 2 SATA Port(18TB)

Matrix NVRs are packed with high-end processors to deliver functionalities like recording images of high resolution, playback, local and remote monitoring, and many more. The images captured can be stored for a higher number of days. Furthermore, these latest NVRs are also backed with intelligent software to detect threats and send instant notifications for real-time security.

All in all, these comprehensive, flexible, reliable, integrated NVRs provide a proficient, persistent, and preventive security solution suitable for enterprises and multi-location offices.

### KEY FEATURES



Cascading



Camera Initiation



Adaptive Recording



Camera-wise Recording Retention



Inbuilt DHCP Server



Instant Calling from Mobile App

### CERTIFICATION



# SATATYA NVR1602X P2

## 16 Channel NVR with 2 SATA Ports



TECHNICAL SPECIFICATIONS	
<b>VIDEO</b>	
Input	16 IP Channels
Output	HDMI (2.0) – 1 Port (Main)
Compression	H.265/H.264/Motion JPEG
<b>AUDIO</b>	
Input	1 Channel, RCA Port (2.0Vp-p), Range (-2dBu to 22dBu)
Output	1 Channel, RCA Port Mono, Unbalanced output, (2.0Vp-p), Range (-2dBu to 22dBu)
Compression	G.711 $\mu$
Two Way Audio	Yes
<b>THROUGHPUT</b>	
Downlink Throughput	180Mbps The following Scenarios are Considered: 1. Cameras Streaming to Device 2. Cameras of Cascaded Devices being Viewed on Local 3. Streaming from NAS for local/Web Client
Downlink Throughput	Downlink Speed: 213 Mbps The following Scenarios are Considered: 1. Cameras Streaming to Device 2. Cameras of Cascaded Devices being Viewed on Local 3. Recording in Local HDDs, No NAS connectivity
Uplink Throughput	180Mbps The following Scenarios are Considered: 1. Cameras Streaming to Web Client 2. Storage or Backup to NAS 3. Streaming to VMS
Uplink Throughput	Uplink Speed: 205 Mbps The following scenarios are Considered: 1. Cameras Streaming to Web Client 2. NVR streaming to cascaded NVRs/VMS
Simultaneous Log-in	9+1(Admin)
<b>DISPLAY</b>	
Split (Through LAN/HDMI)	1x1, 2x2, 3x3, 4x4, 1+5, 1+7, 3+4, 2+8, 1+12, 1 $\odot$ +12, 1+9, 4+9,2+12, 5x5, 6x6 and Sequential
Local Decoding	2x 4K/8x 1080p/16x 720p/ 36x D1 @ 30FPS
Digital Zoom	Yes
Snapshot	Yes (JPEG)
Multiple Camera Viewing	Through Cascading (up to 20 devices)
OSD	Channel Number and Name, Status, Video Loss, Recording, and Disabled Channel (As per camera support)
<b>RECORDING</b>	
Image Resolution	12MP, 8MP, 5MP, 4MP, 3MP, 2MP, 720p, D1, CIF

# SATATYA NVR1602X P2

## 16 Channel NVR with 2 SATA Ports



Pre-Record	Up to 30 Sec
Post-Record	10-300 Sec
Snapshot Format	JPEG
Recording Format	Native
Recording Types	Scheduled, Manual, Alarm, and COSEC
<b>STORAGE AND BANDWIDTH OPTIMIZATION</b>	
Adaptive Recording	Reduces Frames Captured Per Second when there is No Motion
Bandwidth Optimization	Optimized Resolution on Local Display through HDMI
<b>PLAYBACK AND BACKUP</b>	
Synchronous Playback	16-channel
Search Mode	Date and Time, Camera, Recording Type, Recording Drive
Playback Modes	Fast Forward, Slow Forward, Slow Reverse, Fast Reverse at Different Speed Control, Next-Previous Frame
Backup	Manual Backup over USB and NAS, Scheduled Backup over USB, NAS, and FTP Scheduled Backup over USB through USB 2.0 interface Manual Backup over USB through USB 3.0 interface Quick Backup over USB, NAS, and Local PC
Configuration Backup	Yes
Network Protocols	TCP/IP, IPv4, IPv6, DHCP, PPPOE, DDNS, Free Matrix DNS, FTP,SMTP, NTP, RTP/RTSP, CIFS/NFS, Network Acceleration, UDP, HTTP, UPnP, ICMP, RTCP, IGMP, ARP, Multicast, Unicast
Maximum Number User	128
Remote Operation	Monitor, PTZ Control, Playback, System Setting, File Download, Log Information, Upgrade
<b>EVENTS AND ACTION</b>	
Camera Events	Motion Detection, View Tampering, Trip wire, Object Intrusion, Audio Exception, Missing Object, Suspicious Object, Loitering, Object Counting, Recording Start, Recording Fail, Camera offline, Camera online
System Events	Manual Trigger, On Boot Alarm, Storage Alert, Disk Volume Full, Disk Fault, Scheduled Backup Fail
Actions	Recording on Selected Channel, Upload Images on FTP/Email server, Email Notification with Snapshot, TCP Notification, Recall PTZ Preset Position, Turn On/Off Alarm Outputs, Buzzer Notification, SMS Notification, Calling from Mobile App
<b>STORAGE INTERFACE</b>	
SATA Interface	2 SATA III (18TB per port)
NAS	2 NAS (CIFS, NFS)
USB	3 ports (2 x USB 2.0, 1x USB 3.0)
RAID	RAID 0, RAID 1
Recording/Backup Retention	Camera wise, HDD usage % wise, Day wise

# SATATYA NVR1602X P2

## 16 Channel NVR with 2 SATA Ports




INTERFACE	
Network Interface	2 Ports x Ethernet (RJ-45) 10/100/1000Mbps
LED	System Status LED, Power LED
Alarm Input	2
Alarm Output	1
Reset Switch	Yes
Buzzer	Yes
SYSTEM INTERFACE	
Processor	quad-core 64-bit Cortex-A55 processor
RAM	2GB
Flash	4GB
OS	Embedded Linux
Control Mode	Mouse, Device Client and Mobile Client
CAMERA SUPPORT	
Third-Party Camera Support	Cameras with ONVIF 2.0 & above
ENVIRONMENT CONDITION	
Operating Temperature	0°C to +50°C (32°F to 122°F)
Humidity Range	5% to 95% RH Non-Condensing
ELECTRICAL AND MECHANICAL	
Power Input	Adapter 12V DC/3.3A
Dimension(W×H×D)	424(without clamp)x193x48
Weight (Kg)	1.45 kg
CERTIFICATIONS	
Certifications	BIS, CE, FCC, RoHS
COMPLIANCES	
NDAA Compliance	Yes
MTBF	Yes > 1,00,000 hours

# SATATYA NVR1602X P2

## 16Channel NVR with 2 SATA Ports

\*Specifications are subject to change without prior notification



# SATATYA NVR1602X P2

## 16 Channel NVR with 2 SATA Ports



### ABOUT MATRIX

Established in 1991, Matrix is a leader in security and telecom solutions for modern businesses and enterprises. Matrix, an innovative, technology-driven, and customer-focused organization, is committed to keeping pace with the revolutions in the security and telecom industries. With more than 40% of its human resources dedicated to the development of new products, Matrix has launched cutting-edge products such as Unified Communications, IP-PBX, Universal Gateways, Convergence, VOIP Gateways, GSM Gateways, IP Video Surveillance, Access Control, and Time-Attendance. These solutions are feature-rich, reliable, and conform to international standards. Having global footprints in Europe, North America, South America, Africa, and Asia through an extensive network of more than 4000 system integrators, Matrix ensures that the products serve the needs of its customers faster and longer. Matrix has gained the trust and admiration of customers representing the entire spectrum of industries. Matrix has won many national and international awards for its innovative products.



#### **MATRIX COMSEC**

Head Office

394-GIDC, Makarpura, Vadodara-  
390 010, India.

Ph: +91 265 -613-7222

E-mail: [Inquiry@MatrixComSec.com](mailto:Inquiry@MatrixComSec.com)

Factory

19-GIDC, Waghodia,  
Dist. Vadodara-391 760,  
India.

Ph: +91 265-613-7222

#### **MATRIX COMSEC - North America**

2 Wickstead Crt, Brampton, Ontario,  
L6R 1N8.

+1 408-643-0581 (USA)

+1 437-266-1005 (Canada)

[www.MatrixComSec.com](http://www.MatrixComSec.com)